

US MARKET

***CUSTOM***®

**P3L** product information

## COST-EFFECTIVE THERMAL RECEIPT PRINTER

The affordable **P3L** thermal receipt printer is the perfect solution for businesses looking for reliable performance and flexibility.

Engineered using Custom's 30+ years of printing expertise, the **P3L** is the leader for cost-effective thermal POS printers.



## TARGET MARKET

**P3L** is the ideal thermal POS printer for the retail and hospitality sectors.

Thanks to its compact and robust design, it adapts to any point of sale.



RETAIL



HOSPITALITY

# BENEFITS

Here's how **P3L** can improve your business and make your workflow more efficient.



### TRIPLE INTERFACE

P3L COMES WITH USB, SERIAL AND ETHERNET INTERFACES FOR MAXIMUM CONNECTIVITY




### 250mm/s PRINT SPEED

WITH A PRINT SPEED OF 250MM/S, THE P3L WILL SAVE YOUR BUSINESS TIME AT THE CHECKOUT



### COST EFFECTIVE

P3L IS OUR MOST COST-EFFECTIVE POS RECEIPT PRINTER AND INCLUDES BOTH USB AND SERIAL INTERFACE CABLES



### DURABLE

LEVERAGING CUSTOM'S 30+ YEARS OF PRINTING EXPERTISE, THE P3L FEATURES A LONG-LIFE PRINT HEAD AND AUTOCUTTER




### ESC/POS AND OPOS COMPATIBLE

SUPPORTING BOTH ESC/POS AND OPOS, THE P3L IS AN EASY DROP-IN REPLACEMENT FOR THE MAJORITY OF POS APPLICATIONS

### 3.14 INCH THERMAL LINE UP

- K3 LINERFREE High speed + Adhesive paper without support
- K3 HS High speed (400mm/s max)
- K3 Elegant with top performance
- P3 Paper width 80/57mm ready
- P3L The 80mm low-priced reliable printer**




## INCLUDED WITH THE PRINTER

The device comes with the USB cable, the power supply unit, its power cable and a quick guide.

Other accessories and consumable can be purchased from your dealer.





# P3L AT A GLANCE



\* OPTIONAL

# PAPER ROLLS MANAGEMENT


**P3L** can handle paper rolls of two different widths 80 and 58 mm.  
58mm paper rolls need an optional paper width adapter.





## EASY PC PRINTER SETUP

PrinterTool is a powerful tool for a complete, easy and quick management of your printer.  
Easily configure your printer with an intuitive user interface. Connect the printer to the PC via USB and launch the app.



## CONNECTIONS AND COMMUNICATION

The three communication ports that equip the printer allow USB, ethernet or serial communication through the Custom/POS protocol or drivers available, all on the website [www.custom4u.it](http://www.custom4u.it).



### COMMUNICATION VIA PROTOCOLS

Custom/POS

### COMMUNICATION VIA DRIVER

#### Standard driver for Windows

Windows 7 (32/64 bit)

Windows 8 (32/64 bit)

Windows 8.1 (32/64 bit)

Windows 10 (32/64 bit)

#### CUPS driver for linux

Linux (32/64 bit)

### API / LIBRARIES

#### OPOS driver for Windows

Windows 7 (32/64 bit)

Windows 8 (32/64 bit)

Windows 8.1 (32/64 bit)

Windows 10 (32/64 bit)

## FONT SET

The two internal fonts (12×24, 9×17) allow you to use a large selection of pre-installed code tables.

The printer also has the Chinese font (24×24).

### PREINSTALLED CODE TABLES

MIK - Cyrillic/Bulgarian	
PC437 - U.S.A., Standard Europe	
PC755 - East Europe	
PC850 - Multilingual	
PC852 - Latin 2	
PC858 - Latin	
PC860 - Portuguese	
PC862 - Hebrew	
PC863 - Canadian/French	
PC865 - Nordic	
PC866 - Cyrillic	
PC727 - Arabic	
PC737 - Greek	
PC775 - Baltic Rim	Latvian
PC855 - Cyrillic	Iran
PC856 - Western Europe	Iran 2
PC857 -Turkish	Thai
PC874 - Thai	Thai 2
PC1257 - Turkish	ISO8859-1 - Latin 1
Katakana	ISO8859-2 - Arabic




ISO8859-2 - Baltic
ISO8859-2 - Latin 2
ISO8859-3
ISO8859-5
ISO8859-7
ISO8859-8 - Hebrew
ISO8859-9
ISO8859-15 - Latin 3
WPC1250 - Central Europe
WPC1251 - Cyrillic
WPC1252 - Latin 1
WPC1253 - Greek
WPC1254 - Turkish
WPC1256 - Arabic
WPC1257 - Baltic

### PREINSTALLED CHINESE

Chinese GB18030

## PERFORMANCE

With **P3L** you can count on a product with good performance and high reliability



Sensors	<b>3</b>
Operating temperature	<b>0 °C ÷ +45 °C</b>
Printhead life	<b>150 Km</b>
Resolution	<b>203 dpi</b>
Speed	<b>250 mm/s</b>
Barcodes	<b>1D and 2D</b>
Paper width	<b>80, 58* mm</b>
Autocutter life	<b>1.5M cuts</b>
Compatibility	<b>CUSTOM/POS and OPOS</b>


\* With optional paper width adapter

# ORDERING INFORMATION



**911MX010100733**  
PRINTER P3L 80MM ETH USB RS232

## ACCESSORIES



**976MX010000001**  
58MM PAPER REDUCTION GUIDES FOR P3L



**67300000000398**  
THERMAL PAPER ROLL 80X80 DI13



**CUSTOM**<sup>®</sup>  
WWW.CUSTOM.BIZ